



VELTEK ASSOCIATES, INC.

DECON-QUAT 200C (Use-Dilution)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Issue date: 11/29/2018 Revision date: 1/14/2025 Supersedes: 1/6/2020 Version: 1.2

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Product name : DECON-QUAT 200C (Use-Dilution)
Product code : SDS VEL-140

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Disinfectant, Cleaning agent
Recommended use : For professional use only, For manufacturing and industrial use only

1.4. Supplier's details

Veltek Associates, Inc.
15 Lee Blvd
Malvern, PA 19355-1234 USA
Telephone: +1 610-644-8335 - Fax: +1 610-644-8336
E-mail: vai@sterile.com

In Canada distributed by:
Canada Clean Room (CCR)
20 Cope Dr.
Kanata, ON K2M 2V8, Canada
Telephone: 1-(888)-595-8070

1.5. Emergency phone number

Emergency number : CARECHEM 24: 1-215-207-0061
1-866-928-0789 (toll free USA)
Canada: 1-800-579-7421 (toll free)
Mexico: +52-55-5004-8763

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Hazardous to the aquatic environment — Acute Hazard, Category 3 H402 Harmful to aquatic life.
Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard statements (GHS US) : H402 - Harmful to aquatic life
Precautionary statements (GHS US) : P273 - Avoid release to the environment.
P501 - Dispose of contents/container to an authorized waste collection point.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

DECON-QUAT 200C (Use-Dilution)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Didecyldimethylammonium chloride	CAS-No.: 7173-51-5	< 0.1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	CAS-No.: 68424-85-1	< 0.1	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Ethanol	CAS-No.: 64-17-5	< 0.1	Flam. Liq. 2, H225 Eye Irrit. 2A, H319

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Not an expected route of exposure.
First-aid measures after skin contact	: Take off contaminated clothing. Rinse skin with water/shower. If symptoms develop, obtain medical attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms develop, obtain medical attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth. Give 100 - 200 ml of water to drink. If symptoms develop, obtain medical attention.

4.2. Most important symptoms/effects, acute and delayed

Potential Adverse human health effects and symptoms	: May cause slight irritation to the skin. May cause slight irritation to eyes.
---	---

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

DECON-QUAT 200C (Use-Dilution)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- | | |
|--------------------------------|---|
| Suitable extinguishing media | : Use extinguishing media appropriate for surrounding fire. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Specific hazards arising from the chemical

- | | |
|--|------------------|
| Fire hazard | : Not flammable. |
| Hazardous decomposition products in case of fire | : None known. |

5.3. Special protective equipment and precautions for fire-fighters

- | | |
|--------------------------------|---|
| Firefighting instructions | : Use water for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not allow run-off from fire fighting to enter drains or water courses. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. Use self-contained breathing apparatus when in close proximity to fire. |

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- | | |
|------------------|-----------------------------------|
| General measures | : Avoid all unnecessary exposure. |
|------------------|-----------------------------------|

For non-emergency personnel

- | | |
|----------------------|---|
| Emergency procedures | : Avoid contact with skin and eyes. Evacuate unnecessary personnel. |
|----------------------|---|

For emergency responders

- | | |
|----------------------|--|
| Protective equipment | : Equip cleanup crew with proper protection. Use chemically protective clothing. |
| Emergency procedures | : Avoid contact with skin and eyes. |

- | | |
|---------------------------|---|
| Environmental precautions | : Do not allow to enter drains or water courses. Notify authorities if liquid enters sewers or public waters. |
|---------------------------|---|

6.2. Methods and materials for containment and cleaning up

- | | |
|-------------------------|--|
| Methods for cleaning up | : Dike far ahead of liquid spill for later disposal. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Store away from other materials. |
|-------------------------|--|

SECTION 8: Exposure controls/personal protection, SECTION 13: Disposal considerations

SECTION 7 Handling and storage

7.1. Precautions for safe handling

- | | |
|-------------------------------|---|
| Precautions for safe handling | : Provide good ventilation in process area to prevent formation of vapor. Avoid contact with skin and eyes. |
| Hygiene measures | : Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse. |

7.2. Conditions for safe storage, including incompatibilities

- | | |
|--------------------|---|
| Technical measures | : Comply with applicable regulations. |
| Storage conditions | : Keep only in the original container in a cool, well ventilated place away from : Incompatible materials. Protect material from direct sunlight. |

DECON-QUAT 200C (Use-Dilution)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Incompatible materials : Strong acids. Strong alkalis. Strong oxidizing agent.
Specific end uses : Disinfectant. Cleaning agent. For manufacturing and industrial use only.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Ethanol (64-17-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Ethanol
ACGIH STEL (ppm)	1000 ppm
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2024
USA - OSHA - Occupational Exposure Limits	
Local name	Ethyl alcohol (Ethanol)
OSHA PEL (TWA) (mg/m³)	1900 mg/m³
OSHA PEL TWA	1000 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

Appropriate engineering controls : Provide adequate ventilation.
Environmental exposure controls : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:
Not required for normal conditions of use
Eye protection:
Not required for normal conditions of use
Skin and body protection:
Not required for normal conditions of use
Respiratory protection:
Not required for normal conditions of use

Thermal hazard protection:

Not required for normal conditions of use.

Other information:

Do not eat, drink or smoke during use. Handle in accordance with good industrial hygiene and safety procedures.

DECON-QUAT 200C (Use-Dilution)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear.
Color	: Colorless
Odor	: Slight. Organic
Odor threshold	: No data available
pH	: 6 – 8
Melting point	: No data available
Freezing point	: $\approx 0^{\circ}\text{C}$ (32°F)
Boiling point	: $\approx 100^{\circ}\text{C}$ (212°F)
Flash point	: Not flammable
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: ≈ 1 (Water = 1)
Density	: $\approx 1\text{ g/cm}^3$
Solubility	: Water: Miscible
Log Pow	: No data available
Auto-ignition temperature	: Not flammable
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available
Explosive properties	: Not explosive.
Oxidizing properties	: Not oxidizing.
Particle characteristics	: No data available

Didecyldimethylammonium chloride

Particle characteristics	No data available
--------------------------	-------------------

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

Particle characteristics	No data available
--------------------------	-------------------

Ethanol

Particle characteristics	No data available
--------------------------	-------------------

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

Stable under recommended handling and storage conditions (see section 7).

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

None known.

DECON-QUAT 200C (Use-Dilution)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

Extremely high or low temperatures. Keep out of direct sunlight. Freezing.

10.5. Incompatible materials

Strong oxidizing agents. Strong alkalis. Strong acids.

10.6. Hazardous decomposition products

None known.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

DECON-QUAT 200C (Use-Dilution)

LD50 oral, rat	> 5000 ml/kg
LD50 dermal, rabbit	> 2000 mg/kg body weight

Didecyldimethylammonium chloride (7173-51-5)

LD50 oral, rat	≈ 329 mg/kg body weight (OECD 401 method)
LD50 dermal, rabbit	> 1000 mg/kg body weight (OECD 402 method)
ATE US (oral)	500 mg/kg body weight

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)

LD50 oral, rat	350 mg/kg (OECD 401 method)
LD50 oral	280.8 mg/kg
LD50 dermal, rabbit	2848 mg/kg (EPA OPPTS 870.1200)
LD50 dermal	704 mg/kg
LC50 inhalation, rat (Dust/Mist - mg/l/4h)	0.054 mg/l/4h
ATE US (oral)	350 mg/kg body weight
ATE US (dermal)	2848 mg/kg body weight

Ethanol (64-17-5)

LD50 oral, rat	10470 mg/kg
LC50 inhalation, rat (mg/l)	116.9 mg/l
ATE US (oral)	10470 mg/kg body weight
ATE US (vapors)	116.9 mg/l/4h
ATE US (dust, mist)	116.9 mg/l/4h

Skin corrosion/irritation : Not classified
pH: 6 – 8

Serious eye damage/irritation : Not classified
pH: 6 – 8

DECON-QUAT 200C (Use-Dilution)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Ethanol (64-17-5)

IARC group	1 - Carcinogenic to humans, (Ethanol in alcoholic beverages)
------------	--

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

DECON-QUAT 200C (Use-Dilution)

Viscosity, kinematic	No data available
----------------------	-------------------

Didecyldimethylammonium chloride (7173-51-5)

Viscosity, kinematic	No data available
----------------------	-------------------

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)

Viscosity, kinematic	No data available
----------------------	-------------------

Ethanol (64-17-5)

Viscosity, kinematic	No data available
----------------------	-------------------

Potential Adverse human health effects and symptoms : May cause slight irritation to the skin. May cause slight irritation to eyes.

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - water : Not classified

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Didecyldimethylammonium chloride (7173-51-5)

LC50 fish	≈ 0.49 mg/l - 96 Hours (Danio rerio), (OECD 203 method)
EC50 Daphnia	≈ 0.029 mg/l - 48 Hours (Daphnia magna, Mobility), (OECD 202 method)
ErC50 algae	≈ 0.062 mg/l - 72 Hours (Pseudokirchneriella subcapitata), (OECD 201 method)
NOEC chronic crustacea	≈ 0.021 mg/l - 21 days (Daphnia magna, reproduction), (OECD 211 method)
NOEC, algae	≈ 0.013 mg/l (72 Hours, Pseudokirchneriella subcapitata, Growth rate (OECD 201 method))

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)

LC50 fish	0.064 mg/l
EC50 Daphnia	0.0059 mg/l
NOEC chronic fish	32.2 µg/L - 28d (Pimephales promelas) U.S. EPA FIFRA 72-4(a)
NOEC chronic crustacea	0.00415 mg/l

Ethanol (64-17-5)

LC50 fish	11200 mg/l (calculated value)
-----------	-------------------------------

DECON-QUAT 200C (Use-Dilution)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ethanol (64-17-5)	
LC50 other aquatic organisms	4432 mg/l - 7 days (Lemna gibba)
EC50 Daphnia	5012 mg/l (calculated value) (freshwater)
EC50 - Crustacea [2]	857 mg/l (calculated value) (marine water)
EC50 72h - Algae [1]	275 mg/l - 72 Hours (Chlorella vulgaris)
NOEC (chronic)	280 mg/l - 7 days (Lemna gibba)
NOEC chronic fish	250 mg/l - 120 Hours (Danio rerio)
NOEC chronic crustacea	9.6 mg/l - 10 days (Ceriodaphnia dubia, reproduction)
NOEC chronic algae	11.5 mg/l - 72 Hours (Chlorella vulgaris)

12.2. Persistence and degradability

DECON-QUAT 200C (Use-Dilution)	
Persistence and degradability	Not established.
Didecyldimethylammonium chloride (7173-51-5)	
Persistence and degradability	Readily biodegradable.
Biodegradation	≈ 69 % - 28 days (Activated sludge), (OECD 301D method)
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)	
Persistence and degradability	Readily biodegradable.
Ethanol (64-17-5)	
Persistence and degradability	Readily biodegradable.

12.3. Bioaccumulative potential

Didecyldimethylammonium chloride (7173-51-5)	
Log Pow	≈ 2.59 (20 °C, pH ≈ 7), (OECD 105 method)
Bioaccumulative potential	Based on the n-octanol/water partition coefficient accumulation in organisms is not expected.
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)	
BCF - Fish [1]	79 l/kg
Bioaccumulative potential	Low bioaccumulation potential.
Ethanol (64-17-5)	
Log Pow	-0.35 (20 °C)
Bioaccumulative potential	Low bioaccumulation potential.

12.4. Mobility in soil

DECON-QUAT 200C (Use-Dilution)	
Mobility in soil	Miscible with water
Didecyldimethylammonium chloride (7173-51-5)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	5.75 (20 °C), (OECD 106 method)

DECON-QUAT 200C (Use-Dilution)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Didecyltrimethylammonium chloride (7173-51-5)

Ecology - soil	Expected to adsorb to soil. Low mobility (soil).
----------------	--

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)

Ecology - soil	Expected to be relatively immobile in soil.
----------------	---

12.5. Other adverse effects

Ozone	: Not classified
Fluorinated greenhouse gases	: No
Other information	: Avoid release to the environment.

SECTION 13 Disposal considerations

Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

Not applicable for transport

14.2. UN Proper Shipping Name

Proper Shipping Name (DOT)	: Not applicable
Proper Shipping Name (TDG)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable

14.3. Transport hazard class(es)

DOT
Transport hazard class(es) (DOT) : Not applicable

TDG
Transport hazard class(es) (TDG) : Not applicable

IMDG
Transport hazard class(es) (IMDG) : Not applicable

IATA
Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (DOT)	: Not applicable
Packing group (TDG)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable

14.5. Environmental hazards

Other information	: No supplementary information available.
-------------------	---

DECON-QUAT 200C (Use-Dilution)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

Special transport precautions : DO NOT TRANSPORT - This dilution of product is an on-site dilution in water by the user according to product label directions. It is not supplied nor transported in commerce at this dilution. This dilution is classified as dangerous for transport. Details of this transport classification have not been provided, as the diluted form of this product shall not be transported. For transport and hazards of the undiluted product concentrate before mixing, see SDS VEL-110.

DOT

Not applicable

TDG

Not applicable

IMDG

Not applicable

IATA

Not applicable

SECTION 15 Regulatory information

15.1. Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Didecyldimethylammonium chloride	7173-51-5	Present	Active	
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	68424-85-1	Present	Active	TP
Ethanol	64-17-5	Present	Active	

15.2. International regulations

CANADA

Didecyldimethylammonium chloride (7173-51-5)

Listed on the Canadian DSL (Domestic Substances List)

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)

Listed on the Canadian DSL (Domestic Substances List)

Ethanol (64-17-5)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

DECON-QUAT 200C (Use-Dilution)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

National regulations

DECON-QUAT 200C (Use-Dilution)

This chemical is a pesticide product registered by the United States Environmental Protection Agency (10324-141-68959) and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below in Section 16. The pesticide label also includes other important information, including directions for use.
Canada DIN #02374919.

Didecyltrimethylammonium chloride (7173-51-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Ethanol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)
Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Ethanol(64-17-5)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16 Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 1/14/2025
Issue date : 11/29/2018
Data sources : US OSHA HazCom (GHS) 25 May 2012.
Other information : This document applies to the use dilution of this product after mixing according to label directions. For transport and hazards of the undiluted product concentrate before mixing, see SDS VEL-110.

Full text of hazard classes and H-statements

H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H402	Harmful to aquatic life

DECON-QUAT 200C (Use-Dilution)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements	
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

Abbreviations and acronyms	
	ACGIH (American Conference of Government Industrial Hygienists)
	ATE (Acute Toxicity Estimate)
	CAS (Chemical Abstracts Service) number
	DNEL (Derived No Effect Level)
	EC50 (Effective Concentration 50%)
	IARC (International Agency for Research on Cancer)
	IATA (International Air Transport Association)
	IMDG (International Maritime Dangerous Goods Code)
	IMO (International Maritime Organisation)
	LC50 (Lethal Concentration 50%)
	LD50 (Lethal Dose 50%)
	OECD (Organisation for Economic Co-operation and Development)
	OSHA (Occupational Safety and Health Administration) (US)
	PBT (Persistent, Bioaccumulative and Toxic)
	PNEC (Predicted No Effect Concentration)
	STEL (Short Term Exposure Limit)
	TSCA (Toxic Substances Control Act) (US)
	TWA (Time Weighted Average)
	UNxxxx (Number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods)
	vPvB (very Persistent and very Bioaccumulative)

NFPA health hazard


: 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard

: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

Health

: 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability

: 0 Minimal Hazard - Materials that will not burn

Physical

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

DECON-QUAT 200C (Use-Dilution)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Indication of changes:		
Section	Changed item	Comments
1	Recommended uses and restrictions	Modified
4	First-aid measures after eye contact	Modified
7	Precautions for safe handling	Modified
8	Exposure controls / Personal protection equipment	Modified
11	Toxicological information	Modified
12.	Ecological information	Modified
15	Regulatory information	Modified

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Veltek Associates, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Veltek Associates, Inc. accepts no liability for loss or damage resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

This SDS has been translated into the official language of the country/region in which the product is to be placed on the market. Where no official translation exists, the regulatory text is reported in English, as it appears in the relevant regulatory text.